Circularity Profile

HVACR Electronic Controller








ENVEOLI1912007_V1 02/2020

⚠ Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Other battery	2,5	Lithium battery (Non- rechargeable)
To be depolluted	2	Electronic Board (Power) > 10 cm ²	10,79	PCBA
To be depolluted	3	Electronic Board (Power) < 10 cm ²	1,45	РСВА
To be dismantled	4	Electronic Board (Power) > 10 cm ²	4,27	PCBA

ENVEOLI1912007_V1 02/2020



Product description

Manufacturer identification	Eliwell Controls srl			
Brand name	Eliwell			
Product function	To control the temperature of a HVACR application and a 100% of the time for 10 years			
Product reference	IDN978P4D507000			
Additional similar product references	IDN902O6D107000, IDN902P6D103000, IDN902P6D107000, IDN961O7D107000, IDN961P7D103000, IDN961P7D107000, IDN961P7D103000, IDN971P9D307000, IDN971P9D303000, IDN971P9D307000, IDN971P9D317000, IDN974PED307000, IDN974PED307000, IDN974PED307000, IDN974PED307000, IDN974PD307000, IDN974PD307000, IDN974PD307000, IDN974PD307000, IDN974PD307000, IDN974PD307000, IDN974PD307000, IDN978P3D527000, IDN978P4D307000, IDN978P4D317000			
Total representative product mass	0.173 kg			
Representative product dimensions	s 34mm*80mm*64mm			
Date of information release	tion release 18/02/2020			

Additional information

Is the product in the scope of WEEE Directive (2012/19/EU)		Yes	
Legal information	and Election in the second in	etronic Equipment (WEE on of the country. This do	be of European Union directive 2012/19/EU on Waste Electrical E). The product family must be disposed according to the ocument is intended for use by end of life recyclers or treatment formation to assure an appropriate end of life treatment for the exproduct.
Recyclability potential	33%		recyclability and recoverability calculation method" (version V1, d to the French Agency for Environment and Energy

Eliwell Controls srl

Eliwell Technical Support Techsuppeliwell@schneider-electric.com

+39 0437 986300

15, Via dell'Industria

32016

Alpago - Belluno

www.eliwell.com

Published by Schneider Electric

ENVEOLI1912007_V1

© 2019 - Schneider Electric - All rights reserved

02/2020

ENVEOLI1912007_V1 02/2020