

Product Environmental Profile

HVACR Electronic Controller - 32x74 format



eliwell
by Schneider Electric




General information

Representative product	HVACR Electronic Controller - 32x74 format -EW2EDI0XC4780
Description of the product	The main purpose of the HVACR Electronic Controller - 32x74 format is to regulate the temperature of the cabinets for HVACR applications.
Description of the range	To regulate the temperature of the cabinets for HVACR applications. The environmental impacts of this referenced product are representative of the impacts of the other products of the range which are developed with a similar technology.
Functional unit	To control the temperature of a HVACR application and a 100% of the time for 10 years



Constituent materials

Reference product mass 191 g including the product, its packaging and additional elements and accessories



Substance assessment

Products of this range are designed in conformity with the requirements of the RoHS directive (European Directive 2011/65/EU of 8 June 2011) and do not contain, or only contain in the authorised proportions, lead, mercury, cadmium, hexavalent chromium or flame retardants (polybrominated biphenyls - PBB, polybrominated diphenyl ethers - PBDE) as mentioned in the Directive

As the products of the range are designed in accordance with the RoHS Directive (European Directive 2002/95/EC of 27 January 2003), they can be incorporated without any restriction in an assembly or an installation subject to this Directive.

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website

<http://www2.schneider-electric.com/sites/corporate/en/products-services/green-premium/green-premium.page>



Additional environmental information

The HVACR Electronic Controller - 32x74 format presents the following relevant environmental aspects

Manufacturing	Manufactured at a Schneider Electric production site ISO14001 certified
Distribution	Weight and volume of the packaging optimized, based on the European Union's packaging directive Packaging weight is 17 g, consisting of cardboard (9,02%) , paper (0,8%) Product distribution optimised by setting up local distribution centres
Installation	The product doesn't require any special installation operations.
Use	The product does not require special maintenance operations.
End of life	End of life optimized to decrease the amount of waste and allow recovery of the product components and materials This product contains electronic cards (143g) that should be separated from the stream of waste so as to optimize end-of-life treatment. The location of these components and other recommendations are given in the End of Life Instruction document which is available on the Schneider-Electric Green Premium website http://www2.schneider-electric.com/sites/corporate/en/products-services/green-premium/green-premium.page Recyclability potential: 38% Based on Eco'DEEE method




Environmental impacts

Reference life time	10 years			
Product category	Active products			
Installation elements	No special components needed			
Use scenario	Consumed power is 3,2 W 100 % of the time in Active mode, 0 W 0 % of the time in Standby mode, 0 W 0 % of the time in Sleep mode and 0 W 0 % of the time in Off mode. It is 3,2 W in active mode 100% of the time for the referenced EW2EDI0XC4780			
Geographical representativeness	Europe			
Technological representativeness	The main purpose of the HVACR Electronic Controller - 32x74 format is to regulate the temperature of the cabinets for HVACR applications.			
Energy model used	Manufacturing	Installation	Use	End of life
	Energy model used: Italy	Electricity Mix; AC; consumption mix, at consumer; < 1kV; EU-27	Electricity Mix; AC; consumption mix, at consumer; < 1kV; EU-27	Electricity Mix; AC; consumption mix, at consumer; < 1kV; EU-27

Compulsory indicators		HVACR Electronic Controller - 32x74 format - EW2EDI0XC4780					
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Contribution to mineral resources depletion	kg Sb eq	1,13E-03	1,12E-03	0*	0*	7,54E-06	0*
Contribution to the soil and water acidification	kg SO ₂ eq	1,26E+00	9,69E-03	0*	0*	1,25E+00	0*
Contribution to water eutrophication	kg PO ₄ ³⁻ eq	5,17E-02	4,74E-03	8,25E-06	0*	4,69E-02	2,99E-05
Contribution to global warming	kg CO ₂ eq	1,74E+02	7,92E+00	0*	0*	1,66E+02	6,93E-02

Contribution to ozone layer depletion	kg CFC11 eq	4,10E-05	7,83E-07	0*	0*	4,02E-05	6,84E-09
Contribution to photochemical oxidation	kg C ₂ H ₄ eq	6,04E-02	1,27E-03	0*	0*	5,92E-02	7,80E-06

Resources use	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Net use of freshwater	m3	5,47E-01	1,15E-01	0*	0*	4,32E-01	0*
Total Primary Energy	MJ	3,49E+03	1,37E+02	0*	0*	3,35E+03	4,77E-01



Optional indicators		HVACR Electronic Controller - 32x74 format - EW2EDI0XC4780					
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Contribution to fossil resources depletion	MJ	1,82E+03	1,17E+02	0*	0*	1,70E+03	4,04E-01
Contribution to air pollution	m³	7,97E+03	8,71E+02	0*	0*	7,10E+03	2,71E+00
Contribution to water pollution	m³	7,49E+03	5,43E+02	1,24E+00	0*	6,94E+03	4,60E+00
Resources use	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Use of secondary material	kg	6,77E-03	6,77E-03	0*	0*	0*	0*
Total use of renewable primary energy resources	MJ	2,42E+02	2,16E+00	0*	0*	2,40E+02	0*
Total use of non-renewable primary energy resources	MJ	3,25E+03	1,35E+02	0*	0*	3,11E+03	4,77E-01
Use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2,42E+02	1,78E+00	0*	0*	2,40E+02	0*
Use of renewable primary energy resources used as raw material	MJ	3,80E-01	3,80E-01	0*	0*	0*	0*
Use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	3,25E+03	1,33E+02	0*	0*	3,11E+03	4,77E-01
Use of non renewable primary energy resources used as raw material	MJ	2,17E+00	2,17E+00	0*	0*	0*	0*
Use of non renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*
Use of renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*
Waste categories	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Hazardous waste disposed	kg	7,96E+00	7,52E+00	0*	3,41E-02	0*	4,07E-01
Non hazardous waste disposed	kg	6,21E+02	1,71E+00	0*	0*	6,19E+02	0*
Radioactive waste disposed	kg	5,06E-01	1,42E-03	0*	0*	5,05E-01	0*

Other environmental information	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Materials for recycling	kg	6,79E-02	2,08E-03	0*	0*	0*	6,58E-02
Components for reuse	kg	0,00E+00	0*	0*	0*	0*	0*
Materials for energy recovery	kg	1,34E-02	6,21E-05	0*	0*	0*	1,33E-02
Exported Energy	MJ	0,00E+00	0*	0*	0*	0*	0*

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version EIME v5.5, database version 2015-04.

The use phase is the life cycle phase which has the greatest impact on the majority of environmental indicators (based on compulsory indicators).

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range.

Depending on the impact analysis, the environmental indicators (without ADPe) of other products in this family may be proportional extrapolated by energy consumption values". For ADPe, impact may be proportional extrapolated by mass of the product.

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration N°	ENVPEP1602012_V1	Drafting rules	PCR-ed3-EN-2015 04 02
Date of issue	08-2016	Validity period	5 years
www.pep-ecopassport.org			
Independent verification of the declaration and data, in compliance with ISO 14025 : 2010			
Internal	X	External	
<p>The PCR review was conducted by a panel of experts chaired by Philippe Osset (SOLINNEN)</p> <p>The elements of the present PEP cannot be compared with elements from another program.</p> <p>Document in compliance with ISO 14025 : 2010 « Environmental labels and declarations. Type III environmental declarations »</p>			

Eliwell Controls srl

Eliwell Technical Support

Techsuppeliwell@schneider-electric.com

+39 0437 986300

15, Via dell'Industria

32010

Pieve d'Alpago - Belluno

www.eliwell.it

Published by Eliwell by Schneider Electric

© 2015 - Schneider Electric – All rights reserved

08-2016